

Phthalate Standards Reference Guide



**Includes
New
Phthalate
Replacements**



Phthalate Background

Benzene dicarboxylic acid is equivalent to phthalic acid. Reacting phthalic acid with a variety of alcohols results in the synthesis of a group of chemicals designated as phthalic acid esters or phthalates.

Phthalates are used primarily as plasticizers. Plasticizers lower the glass transition temperature of a plastic/polymer and impart flexibility, durability and longevity to these types of products by acting as softening agents.

Due to their low-cost, versatility and effectiveness, phthalates are widely used in plastics manufacturing, in pharmaceutical coatings, in all types of packaging, in inks, in textiles and as gelling agents. They are end-use components of electronics, paints, adhesives, building materials, cleaning products and toys to name just a few.

Phthalates are now separated into two distinct classes according to the length of the precursor alcohol. The lower molecular weight (LMW) phthalates, including di-butyl, benzyl butyl and diethyl hexyl are made from alcohols with three to six carbon backbones.

Unfortunately, the LMW phthalates are easily released into the environment because there is no chemical bond between the phthalates and the plastic/polymer matrix. Leaching and atmospheric release of these compounds increases as the substrate ages and/or weathers; and has resulted in phthalates becoming a major environmental contaminant. This is important because phthalates are considered to be potential endocrine-disrupting agents (1). Human exposure to phthalates may be through direct contact, ingestion or inhalation. Concern over the adverse health effects has prompted regulatory changes and lead to a permanent ban of these plasticizers in baby-care products and toys (2).

Such a large-scale health concern has led to the development of analytical methods for phthalates in a variety of matrices. The majority of these methods focus on the analysis of the LMW phthalates ranging from mono/diethyl to mono/dioctyl and, in particular, dibutyl and bis(2-ethylhexyl)phthalate (3). Bis(2-ethylhexyl)phthalate has been the dominant plasticizer and is the largest volume phthalate in the global market. It is used as a standard for comparison for the performance of other types of plasticizers.

All of the above-mentioned phthalates are single isomer compounds which can be analyzed via straight-forward GC/MS methods yielding a single chromatographic peak for each compound.




Phthalate Contents	
Phthalates	1-3
Isophthalates	3
Terephthalates	3
Monophthalates	3-4
Deuterated Phthalates	5
Phthalates - Tech Mixes	6
Phthalate Replacements NEW	7
EPA Methods	8
Set, Kit and Mixtures	9
Related Literature	8-9

1. S. Jobling et al., *Environ. Health Perspect.*, **103** (6), 582-587 (1995)
2. Chemical & Engineering News, vol. 89, no 22, page 28 (May 30 2011)
3. H. Fromme et al., *Water Research*, **36** (6), 1429-1438 (2002)



Phthalates


Benzyl butyl phthalate



CAS 85-68-7 MF C₁₉H₂₀O₄ MW 312.26 PS L
SG 1.13 g/cm³ MP -35 °C BP 370-380 °C
FP 198 °C

Matrix	Cat. No.	Unit
NEAT	ALR-082N	100 mg
100 µg/mL in MeOH	ALR-082S	1 mL
5 mg/mL in MeOH	AS-E0065	1 mL


bis(2-n-Butoxyethyl)phthalate



CAS 117-83-9 MF C₂₀H₃₀O₆ MW 366.45 PS L
SG 1.06 g/cm³ MP N/A BP 270 °C FP 205 °C

Matrix	Cat. No.	Unit
NEAT	J-112	100 mg

bis(2-Ethoxyethyl)phthalate




CAS 605-54-9 MF C₁₆H₂₂O₆ MW 310.34 PS S
SG 1.12 g/cm³ MP 34 °C BP 345 °C FP N/A

Matrix	Cat. No.	Unit
NEAT	J-111	100 mg

bis(2-Ethylhexyl)phthalate (DEHP)

Di(2-Ethylhexyl) phthalate




CAS 117-81-7 MF C₂₄H₃₈O₄ MW 390.56 PS L
SG 0.98 g/cm³ MP -50 °C BP 361 °C FP 204 °C

Matrix	Cat. No.	Unit
NEAT	ALR-097N	100 mg
100 µg/mL in MeOH	ALR-097S	1 mL
1 mg/mL in MeOH	APP-9-029-10X	1 mL

Property Key

CAS	Chemical Abstract Service Number	SG	Specific Gravity (g/cm ³)
MF	Molecular Formula	MP	Melting Point (°C)
MW	Molecular Weight	BP	Boiling Point (°C)
PS	Physical State (Solid, Liquid)	FP	Flash Point (°C)


bis(2-Methoxyethyl)phthalate



CAS 117-82-8 MF C₁₄H₁₈O₆ MW 282.29 PS L
SG 1.17 g/cm³ MP N/A BP 230 °C FP 121 °C

Matrix	Cat. No.	Unit
NEAT	J-106	100 mg


bis(4-Methylpentyl)phthalate



CAS 71850-09-4 MF C₂₀H₃₀O₄ MW 334.45 PS S
SG N/A BP N/A FP N/A

Matrix	Cat. No.	Unit
NEAT	PHTH-022N	100 mg
100 µg/mL in MeOH	PHTH-022S	1 mL


bis(4-Methyl-2-pentyl)phthalate



CAS 146-50-9 MF C₂₀H₃₀O₄ MW 334.45 PS L
SG 1.01 g/cm³ BP 370-380 °C FP 180 °C

Matrix	Cat. No.	Unit
NEAT	J-109	100 mg


2-Butoxy-2-oxoethyl butyl phthalate



CAS 85-70-1 MF C₁₈H₂₄O₆ MW 336.38 PS L
SG 1.10 g/cm³ MP N/A BP 345 °C FP 199 °C

Matrix	Cat. No.	Unit
NEAT	J-115	100 mg


Diallyl phthalate



CAS 131-17-9 MF C₁₄H₁₄O₄ MW 246.26 PS L
SG 1.11 g/cm³ MP 16 °C BP 165 °C FP 165 °C

Matrix	Cat. No.	Unit
NEAT	J-002	100 mg


Diamyl phthalate



CAS 131-18-0 MF C₁₈H₂₆O₄ MW 306.40 PS L
SG 1.03 g/cm³ BP 342 °C FP 190 °C

Matrix	Cat. No.	Unit
NEAT	ALR-098N	100 mg
100 µg/mL in MeOH	ALR-098S	1 mL


Dibenzyl phthalate



CAS 523-31-9 MF C₂₂H₁₈O₄ MW 346.38 PS S
SG 1.25 g/cm³ MP 40-42 °C BP >400 °C
FP >150 °C

Matrix	Cat. No.	Unit
NEAT	J-104	100 mg


Dibutyl phthalate



CAS 84-74-2 MF C₁₆H₂₂O₄ MW 278.34 PS L
SG 1.05 g/cm³ MP -35 °C BP 337-340 °C
FP 177 °C

Matrix	Cat. No.	Unit
NEAT	J-003	100 mg
100 µg/mL in MeOH	APP-9-063	1 mL
1 mg/mL in MeOH	APP-9-063-10X	1 mL
5 mg/mL in MeOH	AS-E0066	1 mL

Dicyclohexyl phthalate




CAS 84-61-7 MF C₂₀H₂₆O₄ MW 330.42 PS S
SG 1.14 g/cm³ MP 61-66 °C BP 235 °C
FP 207 °C

Matrix	Cat. No.	Unit
NEAT	J-004	100 mg
100 µg/mL in MeOH	ALR-099S	1 mL
1 mg/mL in AcCN	AS-E0318	1 mL

Phthalates continued on next page

Phthalates (continued)


Didodecyl phthalate



CAS 2432-90-8 MF C₃₂H₅₄O₄ MW 502.77 PS L or S
SG 1.05 g/cm³ MP 21-23 °C BP N/A FP >200 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-018N	100 mg
100 µg/mL in Hexane	PHTH-018S	1 mL


Diethyl phthalate



CAS 84-66-2 MF C₁₂H₁₄O₄ MW 222.24 PS L
SG 1.12 g/cm³ MP -3 °C BP 172 °C FP 160 °C

Matrix	Cat. No.	Unit
NEAT	J-005	100 mg
100 µg/mL in MeOH	APP-9-081	1 mL
1 mg/mL in MeOH	APP-9-081-10X	1 mL
5 mg/mL in MeOH	AS-E0068	1 mL


Dihexyl phthalate



CAS 84-75-3 MF C₂₀H₃₀O₄ MW 334.45 PS L
SG 1.01 g/cm³ BP 185-187 °C FP 200 °C

Matrix	Cat. No.	Unit
NEAT	ALR-100N	100 mg
100 µg/mL in MeOH	ALR-100S	1 mL


Diphenyl phthalate



CAS 84-62-8 MF C₂₀H₁₄O₄ MW 318.32 PS S
SG 1.24 g/cm³ MP 74-76 °C BP 255 °C FP 256 °C

Matrix	Cat. No.	Unit
NEAT	J-013	100 mg


Diisopentyl phthalate



CAS 605-50-5 MF C₁₈H₂₆O₄ MW 306.40 PS L
SG 1.03 g/cm³ FP 167 °C

Matrix	Cat. No.	Unit
NEAT	J-127	100 mg


Diisopropyl phthalate



CAS 605-45-8 MF C₁₄H₁₈O₄ MW 250.29 PS L

Matrix	Cat. No.	Unit
NEAT	PHTH-019N	100 mg
100 µg/mL in MeOH	PHTH-019S	1 mL


Dimethyl phthalate



CAS 131-11-3 MF C₁₀H₁₀O₄ MW 194.18 PS L
SG 1.19 g/cm³ MP 2-6 °C BP 282-284 °C
FP 295 °C

Matrix	Cat. No.	Unit
NEAT	J-010	100 mg
100 µg/mL in MeOH	APP-9-088	1 mL
1 mg/mL in MeOH	APP-9-088-10X	1 mL
5 mg/mL in MeOH	AS-E0069	1 mL
0.1 mg/mL in EtOAc	M-8032-IS	1 mL


Di-n-heptyl phthalate



CAS 3648-21-3 MF C₂₂H₃₄O₄ MW 362.50 PS L
SG 0.99 g/cm³ MP N/A BP 195 °C FP 113 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-020N	100 mg
100 µg/mL in MeOH	PHTH-020S	1 mL


Di-n-octyl phthalate



CAS 117-84-0 MF C₂₄H₃₈O₄ MW 390.56 PS L
SG 0.98 g/cm³ MP -25 °C FP 109 °C

Matrix	Cat. No.	Unit
NEAT	J-011	100 mg


Di-n-propyl phthalate



CAS 131-16-8 MF C₁₄H₁₈O₄ MW 250.29 PS L
SG 1.08 g/cm³ MP N/A BP 317-318 °C FP 109 °C

Matrix	Cat. No.	Unit
NEAT	J-100	100 mg


Diisobutyl phthalate



CAS 84-69-5 MF C₁₆H₂₂O₄ MW 278.34 PS L or S
SG 1.04 g/cm³ MP N/A BP 327 °C FP 109 °C

Matrix	Cat. No.	Unit
NEAT	J-113	100 mg

Diundecyl phthalate



CAS 3648-20-2 MF C₃₀H₅₀O₄ MW 474.72 PS L or S
SG 0.95 g/cm³ MP 15 °C BP 472 °C FP 239 °C


Matrix	Cat. No.	Unit
NEAT	PHTH-021N	100 mg
100 µg/mL in MeOH	PHTH-021S	1 mL

Property Key

CAS	Chemical Abstract Service Number	SG	Specific Gravity (g/cm ³)
MF	Molecular Formula	MP	Melting Point (°C)
MW	Molecular Weight	BP	Boiling Point (°C)
PS	Physical State (Solid, Liquid)	FP	Flash Point (°C)

Isophthalates


Dimethyl isophthalate



CAS 1459-93-4 **MF** C₁₀H₁₀O₄ **MW** 194.18 **PS** S
SG 1.18 g/cm³ **MP** 64-68 °C **BP** 282-285 °C
FP 148 °C

Matrix	Cat. No.	Unit
NEAT	J-009	100 mg

Diphenyl isophthalate




CAS 744-45-6 **MF** C₂₀H₁₄O₄ **MW** 318.32 **PS** S
SG 1.24 g/cm³ **MP** 136-138 °C **FP** 256 °C

Matrix	Cat. No.	Unit
NEAT	J-012	100 mg

Terephthalates


bis(2-Ethylhexyl)terephthalate



CAS 6422-86-2 **MF** C₂₄H₃₈O₄ **MW** 390.56 **PS** L
SG 0.99 g/cm³ **MP** N/A **BP** 400 °C **FP** 212 °C

Matrix	Cat. No.	Unit
NEAT	J-121	100 mg


Diethyl terephthalate



CAS 636-09-9 **MF** C₁₂H₁₄O₄ **MW** 222.24 **PS** S
SG 1.15 g/cm³ **MP** 43-47 °C **BP** 142 °C
FP >150 °C

Matrix	Cat. No.	Unit
NEAT	J-123	100 mg

Dimethyl terephthalate




CAS 120-61-6 **MF** C₁₀H₁₀O₄ **MW** 194.18 **PS** S
SG 1.36 g/cm³ **MP** 139-141 °C **BP** 288 °C
FP 151 °C

Matrix	Cat. No.	Unit
NEAT	J-101	100 mg

Monophthalates

Mono-phthalate esters are the primary phthalate metabolites formed via hydrolysis of one ester bond. It is these compounds that are thought to be toxic agents; and are receiving interest as a possible human health issue. Studies have shown that they can produce estrogenic and immune-suppressive effects in humans.


Monobenzyl phthalate (mBzP)



CAS 2528-16-7 **MF** C₁₅H₁₂O₄ **MW** 256.25 **PS** S
SG 1.28 g/cm³ **MP** 106 °C **BP** 441 °C **FP** 168 °C

Matrix	Cat. No.	Unit
NEAT	ALR-134N	100 mg
100 µg/mL in AcCN	ALR-134S-CN	1 mL


Monobutyl phthalate (mBP)



CAS 131-70-4 **MF** C₁₂H₁₄O₄ **MW** 222.24 **PS** S
SG 1.17 g/cm³ **MP** 73 °C **BP** 350-354 °C **FP** 138 °C

Matrix	Cat. No.	Unit
NEAT	ALR-135N	100 mg
100 µg/mL in AcCN	ALR-135S-CN	1 mL

Monocyclohexyl phthalate (mBP) NEW



CAS 7517-36-4 **MF** C₁₄H₁₆O₄ **MW** 248.27 **PS** S
SG 1.24 g/cm³ **MP** 89-91 °C **BP** 410 °C **FP** 154 °C

Matrix	Cat. No.	Unit
NEAT	ALR-178N	100 mg
100 µg/mL in AcCN	ALR-178S-CN	1 mL


Technical Note

AccuStandard offers eight mono-phthalates including the mono-ethylhexyl (mEHP) which is the metabolite of the plasticizer with the greatest yearly production and use on a global basis.

Monophthalates continued on next page

Monophthalates (continued)


Monoethyl phthalate (mEP)



CAS 2306-33-4 **MF** C₁₀H₁₀O₄ **MW** 194.18 **PS** S
SG 1.24 g/cm³ **MP** 101 °C **BP** 329 °C **FP** 135 °C

Matrix	Cat. No.	Unit
NEAT	ALR-137N	100 mg
100 µg/mL in AcCN	ALR-137S-CN	1 mL


Monoethylhexyl phthalate (mEHP)



CAS 4376-20-9 **MF** C₁₆H₂₂O₄ **MW** 278.34 **PS** S
SG 1.09 g/cm³ **MP** 142 °C **BP** 390-395 °C
FP 144 °C

Matrix	Cat. No.	Unit
NEAT	ALR-138N	100 mg
100 µg/mL in AcCN	ALR-138S-CN	1 mL


Mono-2-heptyl phthalate



CAS N/A **MF** C₁₅H₂₀O₄ **MW** 264.32 **PS** S

Matrix	Cat. No.	Unit
NEAT	ALR-143N	100 mg
100 µg/mL in AcCN	ALR-143S-CN	1 mL


Monoethyl phthalate **NEW**



CAS 24539-57-9 **MF** C₁₄H₁₆O₄ **MW** 250.29 **PS** S
SG 1.12 g/cm³ **MP** 133 °C **BP** 375-380 °C
FP 142 °C

Matrix	Cat. No.	Unit
NEAT	ALR-175N	100 mg
100 µg/mL in AcCN	ALR-175S-CN	1 mL


Monoisobutyl phthalate



CAS 30833-53-5 **MF** C₁₄H₁₄O₄ **MW** 222.24 **PS** S
SG 1.17 g/cm³ **MP** 78-80 °C **BP** 356-357 °C
FP 135 °C

Matrix	Cat. No.	Unit
NEAT	ALR-176N	100 mg
100 µg/mL in AcCN	ALR-176S-CN	1 mL


Monoisononyl phthalate



CAS N/A **MF** C₁₇H₂₄O₄ **MW** 292.37 **PS** S

Matrix	Cat. No.	Unit
NEAT	ALR-142N	100 mg
100 µg/mL in AcCN	ALR-142S-CN	1 mL


Monoisopropyl phthalate



CAS 35118-50-4 **MF** C₁₁H₁₂O₄ **MW** 208.21 **PS** S
SG 1.20 g/cm³ **MP** 100-104 °C **BP** 343-344 °C
FP 133 °C

Matrix	Cat. No.	Unit
NEAT	ALR-179N	100 mg
100 µg/mL in AcCN	ALR-179S-CN	1 mL


Monomethyl phthalate



CAS 4376-18-5 **MF** C₉H₈O₄ **MW** 180.16 **PS** S
SG 1.29 g/cm³ **MP** 81-84 °C **BP** 315-316 °C
FP 135 °C

Matrix	Cat. No.	Unit
NEAT	ALR-139N	100 mg
100 µg/mL in AcCN	ALR-139S-CN	1 mL


Monooctyl phthalate



CAS 5393-19-1 **MF** C₁₆H₂₂O₄ **MW** 278.34 **PS** S
SG 1.09 g/cm³ **MP** 149 °C **BP** 400 °C **FP** 146 °C

Matrix	Cat. No.	Unit
NEAT	ALR-141N	100 mg
100 µg/mL in AcCN	ALR-141S-CN	1 mL

Mono-n-pentyl phthalate **NEW**



CAS 24539-56-8 **MF** C₁₃H₁₈O₄ **MW** 236.26 **PS** S
SG 1.48 g/cm³ **MP** 125-126 °C **BP** 376-377 °C
FP 140 °C

Matrix	Cat. No.	Unit
NEAT	ALR-177N	100 mg
100 µg/mL in AcCN	ALR-177S-CN	1 mL

Property Key


CAS	Chemical Abstract Service Number	SG	Specific Gravity (g/cm ³)
MF	Molecular Formula	MP	Melting Point (°C)
MW	Molecular Weight	BP	Boiling Point (°C)
PS	Physical State (Solid, Liquid)	FP	Flash Point (°C)



Deuterated Phthalates

AccuStandard offers eleven deuterated phthalates which can be used as internal standards. To simplify the ordering process, the native and the corresponding deuterated compound are packaged as sets at a reduced price


Dibenzylphthalate-d₄



CAS 1015854-62-2 **MF** C₂₂H₁₈D₄O₄ **MW** 350.40
PS S **MP** 40-42 °C **BP** 276-278 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-001N	5 mg
100 µg/mL in MeOH	PHTH-D4-001S	1 mL


Dicyclohexyl phthalate-3,4,5,6-d₄



CAS 358731-25-6 **MF** C₂₀H₂₂D₄O₄ **MW** 334.44 **PS** S
SG 1.16 g/cm³ **MP** 65-67 °C **FP** 207 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-004N	5 mg
100 µg/mL in MeOH	PHTH-D4-004S	1 mL


Diethyl phthalate-3,4,5,6-d₄



CAS 93952-12-6 **MF** C₁₀H₁₀D₄O₄ **MW** 226.26 **PS** L
SG 1.14 g/cm³ **MP** -3 °C **FP** 160 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-005N	5 mg
100 µg/mL in MeOH	PHTH-D4-005S	1 mL


Di-iso-butyl phthalate-3,4,5,6-d₄



CAS 358730-88-8 **MF** C₁₆H₁₈D₄O₄ **MW** 282.37 **PS** L
MP N/A **BP** 327 °C **FP** 109 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-003N	5 mg
100 µg/mL in MeOH	PHTH-D4-003S	1 mL


Dimethyl phthalate-3,4,5,6-d₄



CAS 93951-89-4 **MF** C₁₀H₈D₄O₄ **MW** 198.21 **PS** L
SG 1.20 g/cm³ **MP** 2 °C **BP** 282 °C **FP** 147 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-007N	5 mg
100 µg/mL in MeOH	PHTH-D4-007S	1 mL


Di-n-butyl phthalate-d₄



CAS 93952-11-5 **MF** D₁₆H₁₈D₄O₄ **MW** 282.37 **PS** L
SG 1.07 g/cm³ **MP** < 25 °C **BP** 336 °C **FP** 171 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-002N	5 mg
100 µg/mL in MeOH	PHTH-D4-002S	1 mL


Di-n-hexyl phthalate-3,4,5,6-d₄



CAS 1015854-55-3 **MF** C₂₀H₂₆D₄O₄ **MW** 338.47
PS L **SG** 1.01 g/cm³ **MP** N/A **BP** 185-187 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-006N	5 mg
100 µg/mL in MeOH	PHTH-D4-006S	1 mL


Di-n-octyl phthalate-3,4,5,6-d₄



CAS 93952-13-7 **MF** C₂₆H₃₄D₄O₄ **MW** 394.58 **PS** L
SG 0.96 g/cm³ **MP** -50 °C **BP** 390 °C **FP** 205 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-008N	5 mg
100 µg/mL in MeOH	PHTH-D4-008S	1 mL


Di-n-pentyl phthalate-3,4,5,6-d₄



CAS 358730-89-9 **MF** C₁₈H₂₂D₄O₄ **MW** 310.42 **PS** L
MP N/A **BP** 360 °C **FP** >110 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-009N	5 mg
100 µg/mL in MeOH	PHTH-D4-009S	1 mL


Di-n-propyl phthalate-3,4,5,6-d₄



CAS 358731-29-0 **MF** C₁₄H₁₆D₄O₄ **MW** 254.31 **PS** L
SG 1.08 g/cm³ **MW** N/A **BP** 317-318 °C **FP** >110 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-010N	5 mg
100 µg/mL in MeOH	PHTH-D4-010S	1 mL

bis(2-Ethylhexyl) phthalate-3,4,5,6-d₄



CAS 93951-87-2 **MF** C₂₄H₃₄D₄O₄ **MW** 394.58 **PS** L
SG 0.98 g/cm³ **MP** -50 °C **BP** 384 °C **FP** 207 °C

Matrix	Cat. No.	Unit
NEAT	PHTH-D4-011N	5 mg
100 µg/mL in MeOH	PHTH-D4-011S	1 mL

Set includes 11 Deuterated Phthalates

Neat Set	PHTH-D4N-SET	11 x 5 mg
Solution Set	PHTH-D4S-SET	11 x 1 mL

Other compounds are available.
contact our Technical Service if you
require additional deuterated or other
labeled compounds.

Phthalates - Technical Mixtures

The high molecular weight (HMW) phthalates have more than six carbons in the backbone; and are synthesized from phthalic acid and mixtures of C9 and C10 alcohols. The two major HMW products are diisononyl phthalate (DINP) and diisodecyl phthalate (DIDP).

Attention has now turned to the analysis of these compounds as they are becoming major players in the plasticizer marketplace. However, due to the synthesis process, GC separation of DINP and DIDP results in a cluster of peaks corresponding to different isomers. Consequently, different analytical approaches based on soft ionization techniques and MS detection have been documented in the literature (1). These new approaches can provide another tool to scrutinize the amounts, environmental fate and potential health effects of these HMW plasticizers.

1. David, F., Sandra, P. and Hancock, P., *Current Trends in Mass Spectrometry*, May 2011)

Solutions in 1 mL

Compound	CAS No.	Conc.	Matrix	Cat. No.
Benzyl 2-ethylhexyl phthalate	27215-22-1	100 mg	NEAT	ALR-165N
		100 µg/mL	MeOH	ALR-165S
n-Butyl benzyl phthalate	85-68-7	10 mg	NEAT	PHTH-014N
		100 µg/mL	MeOH	PHTH-014S
Butyl cyclohexyl phthalate	84-64-0	100 mg	NEAT	J-122
n-Butyl isobutyl phthalate	17851-53-5	10 mg	NEAT	PHTH-013N
		100 µg/mL	MeOH	PHTH-013S
Butyl octyl phthalate	84-78-6	100 mg	NEAT	J-001
Decyl octyl phthalate	119-07-3	10 mg	NEAT	PHTH-012N
		100 µg/mL	MeOH	PHTH-012S
Didecyl phthalate	84-77-5	100 mg	NEAT	J-120
Diisodecyl phthalate	26761-40-0	100 mg	NEAT	ALR-101N
		100 µg/mL	MeOH	ALR-101S
Diisooheptyl phthalate	71888-89-6	50 mg	NEAT	PHTH-017N
		100 µg/mL	MeOH	PHTH-017S
Diisohexyl phthalate	68515-50-4	100 mg	NEAT	J-007
Diisononyl phthalate (C8 to C10 Isomers)	68515-48-0	100 mg	NEAT	ALR-102N
		100 µg/mL	MeOH	ALR-102S
Diisooctyl phthalate (C8 Isomers)	27554-26-3	100 mg	NEAT	ALR-103N
		100 µg/mL	MeOH	ALR-103S
Dinonyl phthalate	84-76-4	100 mg	NEAT	J-105
Hexyl 2-ethylhexyl phthalate	75673-16-4	100 mg	NEAT	J-016
Isobutyl benzyl phthalate	72170-45-7	10 mg	NEAT	PHTH-015N
		100 µg/mL	MeOH	PHTH-015S
Isobutyl cyclohexyl phthalate	5334-09-8	100 mg	NEAT	J-014
Pentyl isopentyl phthalate	776297-69-9	10 mg	NEAT	PHTH-016N
		100 µg/mL	MeOH	PHTH-016S
n-Octyl n-decyl phthalate	119-07-3	100 mg	NEAT	J-015



Phthalate Replacements

World-wide concern over environmental and health-related factors associated with phthalates has led to restrictions of use in a wide array of products. This has resulted in the plastics industry generating a variety of alternatives.

In response, AccuStandard has developed a phthalate replacement product line comprised of 42 compounds representing 18 chemical classes.

NEW

Product Line

Compound	CAS No.	Concentration	Cat. No.	Unit
Azeleic Acid Derivatives				
Diisodecyl azelate	28472-97-1	1000 µg/mL in Acetone	PLAS-PL-075S-A	1 mL
Diisooctyl azelate	26544-17-2	1000 µg/mL in Acetone	PLAS-PL-076S-A	1 mL
Dimethyl azelate	1732-10-1	1000 µg/mL in Acetone	PLAS-PL-077S-A	1 mL
Di-n-hexyl azelate	109-31-9	1000 µg/mL in Acetone	PLAS-PL-078S-A	1 mL
Di(2-ethyl hexyl) azelate	103-24-2	1000 µg/mL in Acetone	PLAS-PL-081S-A	1 mL
Adipic Acid Derivatives				
Di(tridecyl) adipate	16958-92-2	1000 µg/mL in Acetone	PLAS-PL-079S-A	1 mL
Di(n-heptyl, n-nonyl) adipate	68515-75-3	1000 µg/mL in Acetone	PLAS-PL-080S-A	1 mL
Diisobutyl adipate	84-69-5	1000 µg/mL in Hexane	PLAS-PL-082S	1 mL
Diisodecyl adipate	27178-16-1	1000 µg/mL in Hexane	PLAS-PL-083S	1 mL
Dimer Acid Derivatives				
Bis(2-hydroxyethyl) dimerate	68855-78-7	1000 µg/mL in Hexane	PLAS-PL-084S	1 mL
Epoxy Derivatives				
Epoxidized linseed oil	8016-11-3	1000 µg/mL in Toluene	PLAS-PL-085S-T	1 mL
2-Ethylhexyl epoxy tallate	61789-01-3	1000 µg/mL in Hexane	PLAS-PL-086S	1 mL
Fumaric Acid Derivative				
Dibutyl fumarate	105-75-9	1000 µg/mL in Hexane	PLAS-PL-087S	1 mL
Glycerol Derivative				
Glycerol triacetate	102-76-1	1000 µg/mL in Hexane	PLAS-PL-088S	1 mL
Isobutyrate Derivative				
2,2,4-Trimethyl-1,3-pentanediol-diisobutyrate	6846-50-0	1000 µg/mL in Hexane	PLAS-PL-089S	1 mL
Maleic Acid Derivatives				
di(2-Ethylhexyl)maleate [Dioctyl maleate]	142-16-5	1000 µg/mL in Hexane	PLAS-PL-090S	1 mL
Di n-butyl maleate	105-76-0	1000 µg/mL in Hexane	PLAS-PL-091S	1 mL
Mellitates				
Tricapryl trimellitate	27251-75-8	1000 µg/mL in Hexane	PLAS-PL-092S	1 mL
Triisodecyl trimellitate	36631-30-8	1000 µg/mL in Hexane	PLAS-PL-093S	1 mL
Tri-(n-octyl, n-decyl) trimellitate	53894-23-5	1000 µg/mL in Hexane	PLAS-PL-094S	1 mL
Myristate				
Isopropyl myristate	110-27-0	1000 µg/mL in Hexane	PLAS-PL-095S	1 mL
Oleic Acid Derivatives				
Glycerol monooleate	25496-72-4	1000 µg/mL in Hexane	PLAS-PL-096S	1 mL
Methyl oleate	112-69-2	1000 µg/mL in Hexane	PLAS-PL-097S	1 mL
n-Propyl oleate	111-59-1	1000 µg/mL in Hexane	PLAS-PL-098S	1 mL
Tetrahydrofurfuryl oleate	150-81-2	1000 µg/mL in Hexane	PLAS-PL-099S	1 mL
Palmitic Acid derivative				
Isopropyl palmitate	142-91-6	1000 µg/mL in Hexane	PLAS-PL-100S	1 mL
Benzoic Acid Derivatives				
Di(propylene glycol) dibenzoate	20109-39-1	1000 µg/mL in Hexane	PLAS-PL-101S	1 mL
Polyethylene glycol 200 dibenzoate	9004-86-6	1000 µg/mL in Hexane	PLAS-PL-102S	1 mL
Phosphoric Acid Derivatives				
t-Butylphenyl diphenyl phosphate	56803-37-3	1000 µg/mL in Hexane	PLAS-PL-103S	1 mL
Tri-butoxyethyl phosphate	78-51-3	1000 µg/mL in Hexane	PLAS-PL-104S	1 mL
Ricinoleic Acid Derivatives				
Butyl ricinoleate	151-13-3	1000 µg/mL in Hexane	PLAS-PL-105S	1 mL
Glyceryl (triacetyl)ricinoleate	101-34-8	1000 µg/mL in Hexane	PLAS-PL-106S	1 mL
n-Butyl acetyl ricinoleate	140-04-5	1000 µg/mL in Hexane	PLAS-PL-107S	1 mL
Propylene glycol ricinoleate	142-56-3	1000 µg/mL in Hexane	PLAS-PL-108S	1 mL
Succinic acid Derivatives				
Diethyl succinate	123-25-1	1000 µg/mL in Hexane	PLAS-PL-109S	1 mL
Sulfonic acid Derivatives				
o,p-Toluenesulfonamide	8013-74-9	1000 µg/mL in Hexane	PLAS-PL-110S	1 mL
n-Ethyl o,p-toluenesulfonamide	8047-99-2	1000 µg/mL in Hexane	PLAS-PL-111S	1 mL
Stearic acid Derivatives				
Ethylene glycol monostearate	111-60-4	1000 µg/mL in Hexane	PLAS-PL-112S	1 mL
Isopropyl isostearate	68171-33-5	1000 µg/mL in Hexane	PLAS-PL-113S	1 mL
n-Butyl stearate	123-95-5	1000 µg/mL in Hexane	PLAS-PL-114S	1 mL
Glycerol monostearate	31566-31-1	1000 µg/mL in Hexane	PLAS-PL-115S	1 mL
Propylene glycol monostearate	1323-39-3	1000 µg/mL in Hexane	PLAS-PL-116S	1 mL



EPA Methods - Phthalate Standards

Method 506 Phthalate Esters by PID

Phthalate Esters

M-506 1 x 1 mL
M-506-PAK **SAVE** 5 x 1 mL
 1.0 mg/mL each in Isooctane 7 comps.

Benzyl butyl phthalate	bis(2-Ethylhexyl)adipate
Dimethyl phthalate	bis(2-Ethylhexyl)phthalate
Diethyl phthalate	Di- <i>n</i> -octyl phthalate
Di- <i>n</i> -butyl phthalate	

M-506-QC 1 x 1 mL
M-506-QC-PAK **SAVE** 5 x 1 mL
 At stated conc. in MeOH 7 comps.

Benzyl butyl phthalate (0.25 mg/mL)	bis(2-Ethylhexyl)adipate (1.2 mg/mL)
Dimethyl phthalate (0.1 mg/mL)	bis(2-Ethylhexyl)phthalate (0.25 mg/mL)
Diethyl phthalate (0.1 mg/mL)	Di- <i>n</i> -octyl phthalate (0.65 mg/mL)
Di- <i>n</i> -butyl phthalate (0.1 mg/mL)	

Method 606 Phthalate Esters by GC/ECD

M-606 1 x 1 mL
M-606-PAK **SAVE** 5 x 1 mL
 0.2 mg/mL each in MeOH 6 comps.

Benzyl butyl phthalate	Di- <i>n</i> -butyl phthalate
Dimethyl phthalate	Di- <i>n</i> -octyl phthalate
Diethyl phthalate	bis(2-Ethylhexyl)phthalate

Method 8060 Phthalate Esters by GC/ECD

Phthalate Esters

M-8060 1 x 1 mL
M-8060-PAK **SAVE** 5 x 1 mL
 2.0 mg/mL each in Isooctane 6 comps.

Benzyl butyl phthalate	Di- <i>n</i> -butyl phthalate
Diethyl phthalate	Di- <i>n</i> -octyl phthalate
Dimethyl phthalate	bis(2-Ethylhexyl)phthalate

M-8060-QC 1 x 1 mL
M-8060-QC-PAK **SAVE** 5 x 1 mL
 At stated conc. in MeOH 6 comps.

Benzyl butyl phthalate (0.1 mg/mL)	Di- <i>n</i> -butyl phthalate (0.25 mg/mL)
Diethyl phthalate (0.25 mg/mL)	Di- <i>n</i> -octyl phthalate (0.5 mg/mL)
Dimethyl phthalate (0.25 mg/mL)	bis(2-Ethylhexyl)phthalate (0.5 mg/mL)

Method 8061A Phthalate Esters by GC/ECD

Phthalate Esters

M-8061-R1 1 x 1 mL
M-8061-R1-PAK **SAVE** 5 x 1 mL
 1.0 mg/mL each in Hexane 15 comps.

bis(2- <i>n</i> -Butoxyethyl)phthalate	Dimethyl phthalate
Butyl benzyl phthalate	Dinonyl phthalate
Diamyl phthalate	Di- <i>n</i> -octyl phthalate
Di- <i>n</i> -butyl phthalate	bis(2-Ethoxyethyl)phthalate
Dicyclohexyl phthalate	bis(2-Ethylhexyl)phthalate
Diethyl phthalate	bis(2-Methoxyethyl)phthalate
Dihexyl phthalate	bis(4-Methyl-2-pentyl)phthalate
Diisobutyl phthalate	

M-8061A 1 x 1 mL
M-8061A-PAK **SAVE** 5 x 1 mL
 1.0 mg/mL each in Hexane 6 comps.

Butyl benzyl phthalate	Diethyl phthalate
bis(2-Ethylhexyl)phthalate	Dimethyl phthalate
Di- <i>n</i> -butyl phthalate	Di- <i>n</i> -octyl phthalate

Matrix Spike Solution

M-8061A-MS 1 x 1 mL
M-8061A-MS-PAK **SAVE** 5 x 1 mL
 2.0 mg/mL each in Acetone 2 comps.

Butyl benzyl phthalate	bis(2-Ethylhexyl)phthalate
------------------------	----------------------------

Internal Standard

M-8061-IS 1 x 1 mL
M-8061-IS-PAK **SAVE** 5 x 1 mL
 5.0 mg/mL in Hexane

Benzyl benzoate

Surrogate Standards

M-8061-SS 1 x 1 mL
M-8061-SS-PAK **SAVE** 5 x 1 mL
 50 µg/mL each in Acetone
M-8061-SS-10X 1 x 1 mL
M-8061-SS-10X-PAK **SAVE** 5 x 1 mL
 500 µg/mL each in Acetone 3 comps.

Dibenzyl phthalate	Diphenyl phthalate
Diphenyl isophthalate	

The perfect companions for your analysis! Plastic Handbook and Plastic Additive Guide

Handbook for the Chemical Analysis of Plastic and Polymer Additives, 2nd Edition Now Available



Provides the necessary tools for chemists to obtain a more complete listing of additives present in a particular polymeric matrix. It is designed to serve as a valuable source for those monitoring a polymer/plastic material for regulatory or internal compliance. It also helps analysts to correctly identify the complex nature of the materials that have been added to the polymer/plastic.

Cat. No: **BOOK-PLAS-002**

Features

- Features updated material to include the most recent additives available
- Contains actual analytical data for each chemical along with the description and methods used for obtaining the results
- Highlights the toxicological and environmental impact of each product
- Summarizes regulatory and health information in a convenient "one-step" format

Includes new case studies related to "real-world" issues

With 50 additional compounds, this second edition nearly doubles the number of additives in several categories, including processing aids, antistatic compounds, mould release products, and blowing agents. It includes a listing that can be cross-referenced by trade name, chemical name, CAS number, and even key mass unit ions from the GC/MS run.

Addressing additives from an analytical viewpoint, this comprehensive handbook helps readers identify the additives in plastics. This information can be used to assess compliance with regulations issued by the FDA, US EPA, EU, and other agencies.

Phthalate Set, Kit and Mixtures

Phthalates Solution Set

Compound	CAS No.	Cat. No.	Unit
Set of 17 Phthalate Solutions Each at 100 µg/mL Concentration			
ALR-PHT-SET 17 x 1 mL S in MeOH, S-CN in AcCN			
Benzyl butyl phthalate	85-68-7	ALR-082S	1 mL
Diamyl phthalate	131-18-0	ALR-098S	1 mL
Dicyclohexyl phthalate	84-61-7	ALR-099S	1 mL
Di(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ALR-097S	1 mL
Diethyl phthalate	84-66-2	ALR-110S	1 mL
Di-hexyl phthalate	84-75-3	ALR-100S	1 mL
Diisodecyl phthalate	26761-40-0	ALR-101S	1 mL
Diisononyl phthalate	68515-48-0	ALR-102S	1 mL
Diisooctyl phthalate	27554-26-3	ALR-103S	1 mL
Dimethyl phthalate (DMP)	131-11-3	ALR-111S	1 mL
Di-n-butyl phthalate (DBP)	84-74-2	ALR-104S	1 mL
Di-n-octyl phthalate	117-84-0	ALR-105S	1 mL
Monobenzyl phthalate (mBzP)	2528-16-7	ALR-134S-CN	1 mL
Monobutyl phthalate (mBP)	131-70-4	ALR-135S-CN	1 mL
Monoethyl phthalate (mEP)	2306-33-4	ALR-137S-CN	1 mL
Monoethylhexyl phthalate (mEHP)	4376-20-9	ALR-138S-CN	1 mL
Monomethyl phthalate	4376-18-5	ALR-139S-CN	1 mL

Phthalate Esters Kit

PS-840C-R1-SET	15 vials	Calibration Mixture
Neats at 1 mL each.		
(01) Dimethyl phthalate		PS-84C-1ML 1 mL vial
(02) Diethyl phthalate		Neat at the stated weight %
(03) Di-n-propyl phthalate		Neat at stated weight %
(04) Di-iso-propyl phthalate		Dimethyl phthalate 16.7%
(05) Di-n-butyl phthalate		Diethyl phthalate 16.7%
(06) Di-iso-butyl phthalate		Di-n-propyl phthalate 33.3%
(07) Dipentyl phthalate		Di-n-butyl phthalate 33.3%
(08) Dihexyl phthalate		
(09) Diheptyl phthalate		(15) Phthalate Mixture PS-84C-1ML
(10) Dioctyl phthalate		Neat at stated weight %
(11) Dinonyl phthalate		Dimethyl phthalate 16.7%
(12) Didecyl phthalate		Diethyl phthalate 16.7%
(13) Diundecyl phthalate		Di-n-propyl phthalate 33.3%
(14) Didodecyl phthalate		Di-n-butyl phthalate 33.3%

Miscellaneous Phthalate Mixes

Appendix IX Phthalate Mix

APP-9-PHTH-MIX	1 x 1 mL
1000 µg/mL each in Cyclohexane	6 comps.
bis(2-Ethylhexyl)phthalate	Diisodecyl phthalate
Dibutyl phthalate	Diisooctyl phthalate
Di-n-octyl phthalate	Benzyl butyl phthalate

Phthalate Mix

ASM-146	1 x 1 mL
1.0 mg/mL each in MeOH	6 comps.
Benzyl butyl phthalate	Di-n-butyl phthalate
Dimethyl phthalate	Di-n-octyl phthalate
Diethyl phthalate	bis(2-Ethylhexyl)phthalate

Phthalate Esters Mix


M-PHE	1 x 1 mL
M-PHE-PAK	SAVE 5 x 1 mL
At stated conc. (µg/mL) in Acetone	6 comps.
Benzyl butyl phthalate 10	Dimethyl phthalate 25
bis(2-Ethylhexyl)phthalate 50	Di-n-butyl phthalate 25
Diethyl phthalate 25	Di-n-octyl phthalate 50



Thousands of Standards, just a click away

AccuStandard.com

Plastic Additive Standards Guide Includes phthalates and other plasticizers



Both the Handbook and Guide are organized into classes by additive type. Manufacturers can easily find Standards that match their particular application and product formulation for the following product categories:

- Medical Devices
- Food Packaging
- Pharmaceutical Packaging
- Toys
- Wire and Cable
- etc.

Product Group including:

Accelerants, Antidegradants, Antifoams, Antioxidants, Antiozonants, Blowing Agents, Coupling Agents, Crosslinking Agents, Flame Retardants, Plasticizers, Processing Aids, Retarders, Stearates, UV Stabilizers, Vegetable Oils, Deuterated Phthalates



AccuStandard[®]

ISO Guide 34 ■ ISO/IEC 17025 ■ ISO 9001

AccuStandard.com